

Link do produktu: <https://connectivity.pl/3ghdsd-analog-audio-embedder-p-28.html>



3G/HD/SD Analog Audio Embedder

Kod producenta	BBG-EM-AA
Producent	Cobalt Digital

Opis produktu

BlueBox™ offers excellent performance, and excels to a new level of ease of use and installation practicality. The BlueBox™ 3G/HD/SD Analog Audio Embedder provides embedding from professional balanced audio at pro 24 dBu to 0 dBFS to levels using full 24-bit conversion.

- Eight balanced analog audio inputs with user-selectable direct embedding to groups 1 thru 4. DB-25 connector with XLR breakout provides compact footprint. Balanced analog audio inputs can utilize direct connection from standard DB-25 connectors.
- Balanced audio embed with full 24 dBu-to-0 dBFS 24-bit conversion.
- Small rugged portable standalone package ideal for portable installations. Compact size and low weight design easily affixes directly to host device chassis.
- Rugged construction backed with a five-year warranty
- **Power**
5-16 VDC,
- **DC Power Connectors**
Coaxial locking connector (for use with supplied Cobalt power adapter).
- **USB Port**
Mini-USB (reserved for firmware upgrade upload to device)
- **Standards/Data Rates Supported**
SMPTE 292M, 259M, 242M
- **Input/Outputs**
3G/HD/SD-SDI In (75Ω BNC)
8-channel balanced analog audio input via DB-25 connector and XLR breakout adapter (supplied)
3G/HD/SD-SDI Out (75Ω BNC)
- **Audio conversion format**
48 kHz sampling, 24-bit. Supports inputs up to 24 dBu
- **Dimensions**
5.5" x 3" x 1" (including connector projections)
(139 x 77 x 26 mm)